

SecurViewTM

Laminated Security Glass

solos  glass
see the possibilities

SecurView™ Laminated Security Glass

Ideal for use in retail shopfronts and doors, jewellery stores and display counters as well as residential windows and doors, the SecurView™ range of laminated security glass is designed to provide a clear transparent wall to assist in the prevention of unwanted intruder entry and smash and grab raids in both residential and commercial glazing applications.

Commercial Windows & Shopfronts

Incorporating an interlayer which, at 1.52mm, is 4x thicker than the interlayer used in standard Protekta™ laminated safety glass, SecurView™ offers high levels of resilience and protection from intruders wishing to break through the glass using such implements as hand tools or bricks in either a 'smash and grab' scenario or a more sustained attack.

Offering high levels of transparency without the distortion often associated with thicker glass, all glass within the SecurView™ range will assist in providing a barrier even if the glass is broken.

As a laminate the glass will continue to adhere to the interlayer even if broken or smashed, with the interlayer providing a significant barrier to further penetration. Compare that to toughened glass in retail shopfront applications which will, if broken, completely fall from the frame and remove any barrier to further entry or robbery.

SecurView™ is ideal for retail shopfronts, jewellery stores and display counters, not only because of the security that it offers, but also the >99% protection it offers from any UV transmission to minimise fading of both furnishings and retail stock.

Available incorporating just EnviroClear™ and a combination of EnviroClear™ and KlymetShield™ to help meet the requirements of Section J2, SecurView™ is also supplied incorporating KristalClear™ Low Iron glass to maximise the light transmission and visual clarity of retail goods.



Shopfront with broken laminated glass



Shopfront with broken toughened glass

SecurView™ Laminated Security Glass

Residential Windows and Doors

SecurView™ is suitable for a number of domestic window and door applications where security glazing is preferred and a consistency of appearance with the balance of the residential glazing is required.

Resistant to penetration by a range of commonly used tools and objects used for break-in and forced entry, SecurView™ can also be manufactured with any one of a range of toned interlayers for aesthetic or solar control purposes or Low E coated glass for enhanced overall energy efficiency.

SecurView™ can also be incorporated into a KlymetControl® double glazed unit for applications where superior levels of energy efficiency as well as safety and security are prime considerations.



How to specify

Select Glass Name:
SOLOS Glass SecurView™

Select Thickness:
7.52mm – Laminated
9.52mm – Laminated
11.52mm – Laminated
13.52mm – Laminated

Select Colour:

Clear, Grey, Bronze, Green, Cool Blue, Soft White or White Trans

Maximum Size:

up to 3210mm x 6000mm
up to 3210mm x 6000mm
up to 3210mm x 6000mm
up to 3210mm x 6000mm

Benefits

- Provides security to people, goods and buildings
- Maintains barrier to entry even when broken
- Withstands repeated efforts to break through, even with the most damaging of hand tools
- Range of thicknesses to maximise glass size
- Can be supplied using different glass types and offer increased resistance to breakage and offer increased resistance to breakage
- Virtually eliminates UV transfer through the glass, minimising fading of soft furnishings, promotional material or retail goods
- Can reduce noise levels when compared to similar thicknesses of annealed or toughened glass.

Applications

- Jewellery shopfronts and internal counter displays
- Residential windows, doors and skylights where there is a need for additional security.
- Retail shopfronts and doors
- Any residential or commercial glazing at risk from potential intruder attack